

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 04/08/2004

FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. APPLICATION NO. FILING DATE 09/818,572 03/28/2001 Richard Donhauser Q63564 3655 EXAMINER 7590 04/08/2004 SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC LOHN, JOSHUÂ A 2100 PENNSYLVANIA AVENUE, N.W. PAPER NUMBER ART UNIT WASHINGTON, DC 20037-3213 2114

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	/
Office Action Summary	09/818,572	DONHAUSER ET AL.	/
	Examiner	Art Unit	* ··· <u> </u>
	Joshua A Lohn	2114	
The MAILING DATE of this communication Period for Reply	n appears on the cover sheet w	th the correspondence address	_
A SHORTENED STATUTORY PERIOD FOR RITHE MAILING DATE OF THIS COMMUNICATION  - Extensions of time may be available under the provisions of 37 CF after SIX (6) MONTHS from the mailing date of this communication  - If the period for reply specified above is less than thirty (30) days,  - If NO period for reply is specified above, the maximum statutory properties to reply within the set or extended period for reply will, by any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	ON. FR 1.136(a). In no event, however, may a rom. a reply within the statutory minimum of thire eriod will apply and will expire SIX (6) MON statute, cause the application to become AE	eply be timely filed by (30) days will be considered timely. ITHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on	18 October 2001		
	This action is non-final.		
3) Since this application is in condition for all closed in accordance with the practice und	owance except for formal matt		
Disposition of Claims			
4) ⊠ Claim(s) <u>1-30</u> is/are pending in the application 4a) Of the above claim(s) is/are with 5) □ Claim(s) is/are allowed.  6) ⊠ Claim(s) <u>1-5,8,9,11,13-19,22,23,25 and 23</u> 7) ⊠ Claim(s) <u>6,7,10,12,20,21,24 and 26</u> is/are 8) □ Claim(s) are subject to restriction and 25	hdrawn from consideration.  7-30 is/are rejected.  objected to.		
Application Papers			
9) ☐ The specification is objected to by the Exam 10) ☑ The drawing(s) filed on 28 March 2001 is/a Applicant may not request that any objection to Replacement drawing sheet(s) including the co 11) ☐ The oath or declaration is objected to by the	are: a)⊠ accepted or b)⊡ obj o the drawing(s) be held in abeyar orrection is required if the drawing	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for for a) All b) Some * c) None of:  1. Certified copies of the priority docur 2. Certified copies of the priority docur 3. Copies of the certified copies of the application from the International But * See the attached detailed Office action for a	ments have been received. ments have been received in A priority documents have been ureau (PCT Rule 17.2(a)).	pplication No received in this National Stage	
Attachment(s)	<b>∧</b> □ (=4 )	(DTO 442)	
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-9483)</li> <li>Information Disclosure Statement(s) (PTO-1449 or PTO/SI Paper No(s)/Mail Date <u>7</u>.</li> </ol>	B) Paper No(s	summary (PTO-413) s)/Mail Date nformal Patent Application (PTO-152) 	

Art Unit: 2114

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claim1-4, 5, 8, 9, 13, 16-19, 22, 23, 27, and 30 are rejected under 35 U.S.C. 102(e) as being anticipated by Netzer, United States Patent 5,870,607, filed September 11, 1996.

As per claim 1, Netzer teaches executing an application program in an automation device, see column 10, lines 31-32, where the device executing the program is interpreted as being an automation device for automatically executing the program. Netzer also teaches of selecting at least one of a plurality of data addresses to monitor during execution of the application program, see column 11, lines 7-11, where the essential memory locations, with corresponding data addresses, are monitored. Netzer also teaches selecting a code address corresponding to the at least one of a plurality of data addresses selected for monitoring, this is shown in column 11, lines 1-11, where the code corresponding to the monitored data is also selected and analyzed to determine the importance of the related data. Netzer teaches of transmitting to the automation device, as part of a request message the data addresses selected for monitoring and the corresponding code address, this is shown in column 12, lines 20-35, where the request message is interpreted to be the means used to setup the trace file of Netzer and this setup would inherently include the memory address and related code to allow for a repeatable trace file of

Art Unit: 2114

memory accesses. Netzer discloses recording the content of the data addresses selected for monitoring when the corresponding code address is reached during execution of the application program, see column 12, lines 20-25, where the values of the memory locations are buffered in storage. Netzer finally teaches of transmitting as part of a result message, the recorded content of the data addresses selected for monitoring, see column 12, lines 26-35, where the result message includes all data relating to the data address to be monitored.

As per claim 2, it is inherent that an application program controls and/or monitors an external process, because all application programs in execution influence and control processes external to the application program, such as the function of the memory, processor, and any peripherals utilized by the application.

As per claim 3, Netzer teaches the code address comprises an address of the application program in proximity to a segment of the application program that influences the content of the data addresses selected for monitoring, this is shown in fact that only code that influences the content of the monitored data address is referenced, and any reference to a code would include a means for addressing that portion of the application which would be included in the tracing of memory accesses, see column 11, lines 1-11.

As per claim 4, Netzer teaches that all memory areas existing in the automation device, including registers, can be referenced using the plurality of data addresses, this is shown in column 6, lines 13-15 and 38-43, as well as column 9, lines 32-42, where Netzer discloses the CPU containing registers, a need to emulate any data flow necessary to recreate a particular state of the CPU, and using the memory access trace file to contain all memory accesses that are

Art Unit: 2114

required to fully emulate the system operation, which should include all register memory accesses, also see column 23, lines 15-17.

As per claim 5, Netzer teaches recording the data addresses selected for monitoring when the corresponding code address is reached, if a trigger condition is met, where the trigger condition is in indicator of which memory accesses, of the monitored memory locations, need to be stored, see column 10, lines 22-44.

As per claim 8, Netzer teaches that the data addresses selected for monitoring are recorded by the automation device, see the buffering of column 12, lines 20-34, and during execution of the application program are transmitted to a programming device at predetermined events, a predetermined event being a window boundary at which values are saved in a trace file, where the programming device can be a separate processor, see column 20, lines 52-55, where the state machines responsible for monitoring memory access and storing traces are executed on a secondary CPU.

As per claim 9, Netzer teaches of repeated execution of windows within the application program, each window represents a cycle of a cyclically repeating program, and the predetermined event is the end of a window cycle, see column 9, line 14 through column 10, line 53.

As per claim 13, Netzer teaches recording the data addresses selected for monitoring when the corresponding code address is reached, if a trigger condition is met, where the trigger condition is in indicator of which memory accesses, of the monitored memory locations, need to be stored, see column 10, lines 22-44.

Art Unit: 2114

As per claim 16, Netzer teaches of an automation device which is used to execute a program, see column 10, lines 31-32, where the device executing the program is interpreted as being an automation device for automatically executing the program. Netzer teaches of sensors providing data to the automation device, these sensors taking the form of the monitoring code for analyzing memory accesses, see column 10, lines 22-28. Netzer teaches of a programming device, in the form of a second CPU used to control some instrumentation, see column 20, lines 48-57. It is inherent that a communications program that enables the automation device and the programming device to communicate with one another exists. This is inherent because the second processor is in communication with the target program of the automation device, this mutual contact would require a communications program to exist in some form. Netzer teaches of a computer readable medium for each device on which is stored computer programs for operating and monitoring the automation system, see column 6, lines 18-21, where the typical embodiment of the system has all programs stored in memory, which is a computer readable medium. Netzer also teaches of selecting at least one of a plurality of data addresses to monitor during execution of the application program, see column 11, lines 7-11, where the essential memory locations, with corresponding data addresses, are monitored. Netzer also teaches selecting a code address corresponding to the at least one of a plurality of data addresses selected for monitoring, this is shown in column 11, lines 1-11, where the code corresponding to the monitored data is also selected and analyzed to determine the importance of the related data. Netzer teaches of transmitting to the automation device, as part of a request message the data addresses selected for monitoring and the corresponding code address, this is shown in column 12, lines 20-35, where the request message is interpreted to be the means used to setup the trace

file of Netzer and this setup would inherently include the memory address and related code to allow for a repeatable trace file of memory accesses. Netzer discloses executing the application program in the automation device to control and/or monitor an external process, see column 10, lines 31-32, and it s also inherent that an application program controls and/or monitors an external process, because all application programs in execution influence and control processes external to the application program, such as the function of the memory, processor, and any peripherals utilized by the application. Netzer discloses recording the content of the data addresses selected for monitoring when the corresponding code address is reached during execution of the application program, see column 12, lines 20-25, where the values of the memory locations are buffered in storage. Netzer finally teaches of transmitting as part of a result message, the recorded content of the data addresses selected for monitoring, see column 12, lines 26-35, where the result message includes all data relating to the data address to be monitored.

As per claim 17, Netzer teaches the code address comprises an address of the application program in proximity to a segment of the application program that influences the content of the data addresses selected for monitoring, this is shown in fact that only code that influences the content of the monitored data address is referenced, and any reference to a code would include a means for addressing that portion of the application which would be included in the tracing of memory accesses, see column 11, lines 1-11.

As per claim 18, Netzer teaches that all memory areas existing in the automation device, including registers, can be referenced using the plurality of data addresses, this is shown in column 6, lines 13-15 and 38-43, as well as column 9, lines 32-42, where Netzer discloses the

CPU containing registers, a need to emulate any data flow necessary to recreate a particular state of the CPU, and using the memory access trace file to contain all memory accesses that are required to fully emulate the system operation, which should include all register memory accesses, also see column 23, lines 15-17.

Page 7

As per claim 19, Netzer teaches recording the data addresses selected for monitoring when the corresponding code address is reached, if a trigger condition is met, where the trigger condition is in indicator of which memory accesses, of the monitored memory locations, need to be stored, see column 10, lines 22-44.

As per claim 22, Netzer teaches that the data addresses selected for monitoring are recorded by the automation device, see the buffering of column 12, lines 20-34, and during execution of the application program are transmitted to a programming device at predetermined events, a predetermined event being a window boundary at which values are saved in a trace file, where the programming device can be a separate processor, see column 20, lines 52-55, where the state machines responsible for monitoring memory access and storing traces are executed on a secondary CPU.

As per claim 23, Netzer teaches of repeated execution of windows within the application program, each window represents a cycle of a cyclically repeating program, and the predetermined event is the end of a window cycle, see column 9, line 14 through column 10, line 53.

As per claim 27, Netzer teaches recording the data addresses selected for monitoring when the corresponding code address is reached, if a trigger condition is met, where the trigger

Art Unit: 2114

condition is in indicator of which memory accesses, of the monitored memory locations, need to be stored, see column 10, lines 22-44.

As per claim 30, Netzer teaches of means for displaying or outputting transmitted and recorded data in the form of the memory access trace file, which is output to, see column 12, lines 20-34.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 11 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Netzer in view of Testardi, United States Patent number 6,249,882, filed June 15, 1998.

As per claim 11, Netzer does not teach that instructions required for monitoring can be masked in the application program.

Testardi discloses masking, through use of comments, the test code, which acts to monitor for errors, in the application program, see column 5, line 58 through column 6, line, 12.

It would have been obvious to use the masking technique of Testardi in the testing and development system of Netzer.

This would have been obvious because Netzer teaches of adding instrumentation code to the original computer program to allow for through testing and creation of trace files, see column 3, lines 31-48. Netzer does not provide a course of action to allow for operation of the program

in a non-testing environment. Testardi teaches of a system that allows for the operation of the program to not be impacted by the inclusion of test code when the code is not in use, see column 6, lines 9-12. It is well known in the art that eventually a software program will be substantially free of errors, see column 1, lines 18-21 of Testardi, and no longer need to operate in a test environment. It would have been obvious to use the commenting method o Testardi to mask the monitoring code of Netzer and allow for the program code of Netzer to be executed in a system without being inhibited by the monitoring code.

As per claim 25, this claim contains the same additional limitations as claim 11, and is rejected under the grounds mentioned previously.

Claims 14, 15, 28, and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Netzer in view of Silva et al., United States Patent number 6,163,805, filed October 7, 1997

As per claim 14, Netzer discloses a system in which a request message is sent to the automation device, as part of a request message the data addresses selected for monitoring and the corresponding code address, this is shown in column 12, lines 20-35, where the request message is interpreted to be the means used to setup the trace file of Netzer and this setup would inherently include the memory address and related code to allow for a repeatable trace file of memory accesses. Netzer does not disclose an acknowledgement message and a job number from the automation device to a programming device acknowledging receipt of the request.

Silva discloses an acknowledgement message and a job number from a test requester and a test executor, see column 14, lines 14-28.

Art Unit: 2114

It would have been obvious to one skilled in the art at the time the invention was made to include the acknowledgement message of Silva in the invention of Netzer.

This would have been obvious because Netzer teaches of the programming device taking the form of a second processor, see column 20, lines 50-57. This programming device is responsible for determining which memory addresses should be monitored and communicating this information to the processor responsible for executing the test application. The communication of these two processors is not described in detail. Silva discloses a means for communicating between processing devices in a multi-processor system executing test jobs. The programming device, or second processor of Netzer, is the same as the requester of Silva and the automation device, or program execution processor of Netzer, includes the functions of the dispatcher of Silva. The use of job acknowledgements as described by Silva would obviously improve the effectiveness of the communication between the processors of Netzer by providing indicators of the status of execution, see Silva column 14, lines 18-20.

As per claim 15, Netzer fails to teach of sending a release message form a programming device to the automation device to end monitoring.

Silva teaches of a release message that allows the programming device to end testing, see column 10, lines 28-35, where a lack of jobs results in the "execute-nothing" message being sent to the automation device.

It would have been obvious to one skilled in the art at the time of the invention include the "execute-nothing" message in the environment of Netzer.

This would have been obvious because Netzer shows a strong desire to minimize setup and replay times when executing test programs, see column 6, lines 54-56. The use of the

Art Unit: 2114

"execute-nothing" message discloses by Silva would allow replay to be paused until the programming device provides memory address monitoring jobs. It would have been obvious that if replay is continued without knowing the desired addresses to monitor, the system would have wasted time in clearing out any information collected when a address monitoring job is finally provided. It would have been obvious to use the "execute-nothing" command of Silva to release the automation device as taught by Netzer to allow it to be in a ready state for any new replay window and address monitoring requirements.

As per claim 28, this claim contains the same additional limitations as claim 14, and is rejected under the grounds mentioned previously.

As per claim 29, this claim contains the same additional limitations as claim 15, and is rejected under the grounds mentioned previously.

Page 11

Allowable Subject Matter

Claims 6, 7, 10, 12, 20, 21, 24, and 26 are objected to as being dependent upon a rejected

base claim, but would be allowable if rewritten in independent form including all of the

limitations of the base claim and any intervening claims.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure is provided on form PTO-892.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Joshua A Lohn whose telephone number is (703) 305-3188. The

examiner can normally be reached on M-F 8-4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Robert Beausoleil can be reached on (703) 305-9713. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SCOTT BADERMAN PRIMARY EXAMINER

**JAL**